

espresso

DISPLAY

World's thinnest
portable display

Actual thinness 5.3mm



espresso Display Version 2
Fact Sheets (Displays & Accessories)



reddot winner 2021



GOOD DESIGN AWARD®
GOLD WINNER

00025_V3

espresso™

espresso

DISPLAY

- Award-winning technology
- Premium build, look & feel
- Productivity focused software
- World's thinnest portable monitor
- World-class support
- Designed in Australia

We engineered a collaborative tool from scratch, and we're growing incredibly fast in this competitive landscape. We design for the modern way of working.

Used by people at



espresso Display solves real problems faced by real people:



People are restricted by their stationary workstations. The espresso Display is portable, light and thin making it seamless to move your workstation wherever and whenever.



2nd screen is a MUST for modern professionals. espresso Display is an innovative solution for hybrid professionals to increase productivity in mere seconds.




Collaborating or creating virtually can be cumbersome. The espressoFlow™ software allows you to brainstorm, collaborate or create your best work using the high-quality touchscreen features and the AutoRotate functionality.

Used by:



Professionals

Adapt to hybrid working and travel or commute with ease and space.



Collaborators

Sketch & ideate in real-time with the team in your favourite apps.



Content Creators


Create your most inspiring work from your perfect place of muse.

espresso

D I S P L A Y

Product Comparison - Version 2 Portfolio

The espresso Display is crafted to meet the demands of your busy life and high-performance needs. With a sleek design, simple set-up and diverse compatibility, the display helps you feel highly productive and absorbed in what you're doing.

Model	 Display 13*	 Display 13 Touch*	 Display 15 Touch*
Price			
Works with Mac, Windows and Samsung (2 USB-C ports for video and power, HDMI and Mini DisplayPort cables sold separately)			
Screen mirror compatibility (PC/Laptops, Android, tablets, iPhone, iPad, Nintendo Switch, Playstation, Xbox)			
Actual thinness	5.3mm	5.3mm	5.3mm
Size (width x height)	308 x 228mm	308 x 228mm	359 x 256mm
Touch* (including touch for Mac)			
Palm rejection (with espressoPen)			
Premium aluminium build			
Attaches to standard monitor arm with a 1-step, magnetic setup			
AutoRotate*			
Brightness	300 nits	300 nits	300 nits
Resolution	1080p	1080p	1080p
Refresh Rate	60Hz	60Hz	60Hz
Aspect Ratio	16:9	16:9	16:9
Colour range	16.2 million colours	16.2 million colours	16.2 million colours
Battery	Powered by laptop with one cable	Powered by laptop with one cable	Powered by laptop with one cable
Weight	620g	650g	865g

*espressoFlow™ software required.

Visit www.espres.so/product/espresso-display to shop our displays today.

espresso

D I S P L A Y

espresso Display

Specs Sheet



espresso 15T



espresso 13T



espresso 13

Model

Classification	FCC, RoHS, CE	FCC, RoHS, CE	FCC, RoHS, CE
Screen Size (inches)	15.6	13.3	13.3
Max Resolution (H x V pixels)	1920x1080p	1920x1080p	1920x1080p
Max Vertical Refresh Rate (Hz)	60hz	60hz	60hz
Aspect Ratio	16:9	16:9	16:9
Back Lighting	WLED	WLED	WLED
Panel Type	LCD	LCD	LCD
Brightness (cd/m2)	300	300	300
Contrast Ratio (standard)	800~1000:1	800~1000:1	800~1000:1
Viewing Angle (Horizontal Degrees)	85/85/85/85 @ C/R >10	85/85/85/85 @ C/R >10	85/85/85/85 @ C/R >10
Response time	10~20 ms	10~20 ms	10~20 ms
Bezel Width (mm)	6/6/6/22mm	6/6/6/22mm	6/6/6/22mm
Height Adjust:	espressoStand	espressoStand	espressoStand
3D Capable	No	No	No
TV Tuner	No	No	No
Touch Capable	Yes	Yes	No
Speakers	Yes	Yes	No
HDMI inputs	espresso HDMI cable	espresso HDMI cable	espresso HDMI cable
DVI-D Inputs	No	No	No
DP Inputs	espresso DP cable	espresso DP cable	espresso DP cable
VGA inputs	No	No	No
Component (RGB) inputs	No	No	No
AV inputs	No	No	No
Serial Control	No	No	No
Ethernet control	No	No	No
Other Inputs	None	None	None
Outputs	USB-C Power	USB-C Power	USB-C Power
USB Function	USB-C	USB-C	USB-C
VESA Wall Mount (mm)	Yes	Yes	Yes
Software	espressoFlow	espressoFlow	espressoFlow
Other Features	Stylus Function	Stylus Function	None
Unit Colour	Grey	Grey	Grey
Power Supply	Host device	Host device	Host device
Power Consumption (W)	7.5w	7.5w	7.5w
Package Contents	Display, usb-c cable, cleaning cloth	Display, usb-c cable, cleaning cloth	Display, usb-c cable, cleaning cloth
Packaging	Cardboard	Cardboard	Cardboard
Unit Dimension (W x H x D mm)	358x256x5.3mm	308x228x5.3mm	308x228x5.3mm
Weight (kg)	0.85	0.65	0.62

espresso

DISPLAY

espresso Accessories

espressoStand |

Key features

- Take your workspace anywhere and attach magnetically — no clips, screws or attachments.



espressoMount |

Key features

- Tailor your displays to you — horizontal, vertical, multi-screen environments become easy.



Excludes VESA arm

espressoCase 13 & 15 |

Key features

- Protect your display with a microfibre case that attaches magnetically.
- Various viewing angles to support drawing.
- Sets up in seconds.



espressoPen |


Key features

- Sketch, draw and left/right click.
- Transition through a range of creative applications like Sketchbook and Adobe CC apps (PS, Illustrator and more).
- Navigate, pan, and create through whiteboard collaboration tools like Miro, Figma, and Conceptboard.
- Attaches to your display magnetically.



espressoFlow™

Download espressoFlow™ software to your device to enable a completely enhanced experience. Navigate and create on the display using the espressoPen or your finger. Switch from portrait to landscape mode automatically with AutoRotate function.



espressoCable

USB-C 1M

USB-C 2M

HDMI

MiniDP

(inc. with every Display Purchase)